


Message

From: Chow, Alice [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=B446A8F46F6447EE8294845B0A066623-ACHOW]
Sent: 7/13/2021 3:10:03 PM
To: Patel, Shailesh [spatel@pa.gov]; mwejksznern@pa.gov
CC: aschweitz [aschweitz@pa.gov]
Subject: RE: [External] Status update for B. Braun

Thank you!

Alice H. Chow
Chief, Air Quality Analysis Branch (3AD40)
Air & Radiation Division (14-130)
USEPA, Region 3
Phone: 215-814-2144
Cell: 215-817-4380
Email: chow.alice@epa.gov



From: Patel, Shailesh <spatel@pa.gov>
Sent: Tuesday, July 13, 2021 11:09 AM
To: mwejksznern@pa.gov; Chow, Alice <chow.alice@epa.gov>
Cc: aschweitz <aschweitz@pa.gov>
Subject: RE: [External] Status update for B. Braun

June 8, 2021.

Shailesh R Patel, P.E. | Air Quality Engineer
Department of Environmental Protection
2 Public Square
Wilkes-Barre, PA 18711
Phone: 570-826-2341 | Fax: 570-826-2357
www.dep.pa.gov

From: Wejksznern, Mark <mwejksznern@pa.gov>
Sent: Tuesday, July 13, 2021 11:02 AM
To: Chow, Alice <chow.alice@epa.gov>; Patel, Shailesh <spatel@pa.gov>
Cc: Schweitzer, Andrew <aschweitz@pa.gov>
Subject: RE: [External] Status update for B. Braun

Shai, when was the inspection at B. Braun?


Mark J Wejksznern, P.E. | Program Manager
Department of Environmental Protection | Air Quality
Northeast Regional Office
2 Public Square | Wilkes-Barre PA 18701
Phone: 570.826.2528 | Fax: 570.826.2357
www.dep.state.pa.us

PRIVILEGED AND CONFIDENTIAL COMMUNICATION The information transmitted is intended only for the person or entity to whom it is addressed and may contain confidential and/or privileged material. Any use of this information other than by the intended recipient is prohibited. If you receive this message in error, please send a reply e-mail to the sender and delete the material from any and all computers.

From: Chow, Alice <chow.alice@epa.gov>
Sent: Tuesday, July 13, 2021 10:59 AM
To: Wejksznar, Mark <mwejksznar@pa.gov>
Cc: Schweitzer, Andrew <aschweitze@pa.gov>
Subject: RE: [External] Status update for B. Braun

Thanks! Do you know the date of the inspection?

Alice H. Chow
Chief, Air Quality Analysis Branch (3AD40)
Air & Radiation Division (14-130)
USEPA, Region 3
Phone: 215-814-2144
Cell: 215-817-4380
Email: chow.alice@epa.gov



From: Wejksznar, Mark <mwejksznar@pa.gov>
Sent: Tuesday, July 13, 2021 10:49 AM
To: Chow, Alice <chow.alice@epa.gov>
Cc: aschweitze <aschweitze@pa.gov>
Subject: RE: [External] Status update for B. Braun

Alice, our engineer inspected the facility recently and the facility was in compliance.

Mark J Wejksznar, P.E. | Program Manager
Department of Environmental Protection | Air Quality
Northeast Regional Office
2 Public Square | Wilkes-Barre PA 18701
Phone: 570.826.2528 | Fax: 570.826.2357
www.dep.state.pa.us

PRIVILEGED AND CONFIDENTIAL COMMUNICATION The information transmitted is intended only for the person or entity to whom it is addressed and may contain confidential and/or privileged material. Any use of this information other than by the intended recipient is prohibited. If you receive this message in error, please send a reply e-mail to the sender and delete the material from any and all computers.

From: Chow, Alice <chow.alice@epa.gov>
Sent: Monday, July 12, 2021 3:47 PM
To: Wejksznar, Mark <mwejksznar@pa.gov>
Subject: [External] Status update for B. Braun

ATTENTION: *This email message is from an external sender. Do not open links or attachments from unknown sources. To report suspicious email, forward the message as an attachment to CWOPA_SPAM@pa.gov.*

Hi, Mark: I have to do an update on any EtO activity for B. Braun for the Inspector General. Has NERO conducted any inspections in this quarter?

Thanks,
Alice

Alice H. Chow
Chief, Air Quality Analysis Branch (3AD40)
Air & Radiation Division (14-130)
USEPA, Region 3
Phone: 215-814-2144
Cell: 215-817-4380
Email: chow.alice@epa.gov

